

Triflow Solder Ring



A range of integral copper Solder Ring fittings.

Features and Benefits:






































- Contains lead-free solder complying with EN 29453 and ISO 9453.
- Manufactured in accordance with EN 1254-1.
- Available in sizes 6mm to 67mm.
- Suitable for connecting copper tubes in accordance with EN 1057.
- Imperial copper tube to BS 659 in sizes 3/8", 1/2", 2" and 2.1/2" can be readily joined using 12mm, 15mm, 54mm and 67mm fittings respectively.
- Accurate ring of solder to remove the need for guesswork and to ensure a quick and secure fitting.
- Manufactured from high-grade copper, gunmetal or dezincification resistant (DZR) brass to counteract dezincification.
- Hydraulic working temperatures and pressures based on EN 1254-1:

Size (mm)	Working pressure (bar)			
	0°C - 30°C	65°C	95°C	110°C
6-54	16	10	7	6
67	10	6	5	4

- 25 year guarantee for peace of mind*.



Triflow Solder Ring Range

Slip Coupler  TP1 From: 8mm To: 67mm	Reducing Straight Coupler  TP1R From: 10 x 8mm To: 54 x 42mm	Female Straight Connector  TP2 From: 15 x 1/4" To: 54 x 2	Female Reduced Straight Connector  TP2LC Size: 15 x 1/4"	Female Wall Plate Connector  TP2W Size : 15 x 1/2"	Male Straight Connector Taper Thread  TP3 From: 15 x 1/2" To: 54 x 2"	Male Reduced Straight Connector Parallel Thread  TP3LC From: 15 x 1/4" To: 15 x 3/8"
Tank Connector Copper x Male Thread  TP5 From: 15 x 1/2" To: 22 x 3/4"	Fitting Reducer  TP6 From: 10 x 8mm To: 67 x 54mm	Female Adaptor Parallel Thread  TP7 From: 15 x 1/2" To: 22 x 3/4"	Imperial to Metric Adaptor  TP9 From: 22 x 3/4" To: 28 x 1"	Elbow  TP12 From: 8mm To: 67mm	Street Elbow  TP12S From: 15mm To: 28mm	Male Elbow (Taper)  TP13 From: 15 x 1/2" To: 22 x 3/4"
Male Reduced Elbow Taper Thread  TP13LC Size: 15 x 1/4"	Female Elbow Parallel  TP14 From: 15 x 1/2" To: 28 x 1"	Female Wall Plate Elbow Parallel Thread  TP15 Size: 15 x 1/2"	Slow Bend  TP18 From: 15mm To: 22mm	Obtuse Bend 45°  TP21 From: 15mm To: 67mm	Tee Equal  TP24 From: 8mm To: 67mm	Tee Reduced Branch  TP25 From: 15 x 15 x 10mm To: 67 x 67 x 28mm
Tee Reduced End  TP26 From: 22 x 15 x 22mm To: 54 x 42 x 54mm	Tee Reduced End & Branch  TP27 From: 22 x 15 x 15mm To: 28 x 22 x 22mm	Tee Reduced Both Ends  TP28 From: 15 x 15 x 22mm To: 42 x 42 x 54mm	Tee with Female End  TP29 From: 15 x 1/2" x 15mm To: 22 x 3/4" x 22mm	Tee with Female Reduced End  TP29R Size: 22 x 1/2" x 22mm	Tee with Female Reduced Branch Parallel Thread  TP30 Size: 22 x 22 x 3/4"	Tee with Female Reduced Branch Parallel  TP30R From: 22 x 22 x 1/2" To: 28 x 28 x 1/2"
Air Vent Copper  TAV35 Size: 15mm	Sweep Tee - Equal  TP37 Size: 15mm	Stop End  TP61 From: 8mm To: 54mm	Straight Tap Connector  TP62 From: 15 x 1/2" To: 22 x 3/4"	Bent Tap Connector  TP63 From: 15 x 1/2" To: 22 x 3/4"	Bent Cylinder Union (Coned)  TP64 From: 22 x 1" To: 28 x 1.1/4"	Straight Cylinder Union (Coned)  TP68 From: 15 x 3/4" To: 28 x 1.1/4"
Male Nipple (Taper)  TP70 From: 1 x 3/4" To: 1 x 1.1/4" x 1"	Female Nipple (Parallel)  TP72 From: 1.1/4" x 1" To: 1.1/2" x 1.1/4"					



*Conex|Bänninger products are approved by numerous Standards Authorities and Certification Bodies. For more details on this product range, please email our technical team at: technical@ibpgroup.com.

Conex Universal Limited: Global House, 95 Vantage Point, The Pensnett Estate, Kingswinford, West Midlands DY6 7FT, UNITED KINGDOM.
 Tel: +44 (0)121 557 2831 | Fax: +44 (0)121 557 0185 | Email: sales@ibpgroup.com | Website: www.conexbanninger.com

This is a representation of the full range from Conex Universal. IBP trade marks are registered in numerous countries.

 an IBP GROUP company